



# भारत का राजपत्र The Gazette of India

प्रसिद्धि

EXTRAORDINARY

भाग II—खण्ड 3—उपखण्ड (ii)

PART II—Section 3—Sub-section (ii)

प्रधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं० 372] नई दिल्ली, शनिवार, नवम्बर 1, 1969, कार्तिक 0, 1891  
No. 372] NEW DELHI, SATURDAY, NOVEMBER 1, 1969 KARTIKA 10, 1891

इस भाग में भिन्न गृह संख्या दी जाती है जिससे कि यह ग्रन्थ सरलता के रूप में रखा जा सक।

Separate paging is given to this Part in order that it may be filed as a separate compilation.

MINISTRY OF FOREIGN TRADE AND SUPPLY

NOTIFICATION

New Delhi, the 1st November 1969

S.O. 4437.—Whereas the Central Government is of opinion that, in exercise of the powers conferred by section 6 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963), the additional item of Coir Loop mats should be subject to quality control and inspection prior to export, besides the items covered by the notification of the Government of India in the late Ministry of Commerce No. S.O. 3918, dated the 16th December, 1965 read with the notification No. S.O. 2779, dated the 11th August, 1967.

And whereas the Central Government has formulated the proposals specified below for the said purpose and has forwarded the same to the Export Inspection Council, as required by sub-rule (2) of rule 11 of the Export (Quality Control and Inspection) Rules 1964.

Now, therefore, in pursuance of the said sub-rule, the Central Government hereby publishes the said proposals for the information of the public likely to be affected thereby.

2. Notice is hereby given that any person desiring to forward any objections or suggestions with respect to the said proposal may forward the same within thirty days of the date of publication of this notification in the Official Gazette to the Export Inspection Council, "World Trade Centre", 14/1-B, Ezra Street, 7th floor, Calcutta—1.



*Proposals*

(1) To notify that coir loop mats shall be subject to quality control and inspection prior to export;

(2) To specify the inspection in accordance with the Export of Coir Products Inspection Rules, 1965, as amended by the draft Export of Coir Products (Inspection) Amendment Rules, 1969, set out in Annexure I to this notification as the type of inspection which will be applied to such coir products;

(3) To recognise—

(a) the specifications for the said coir loop mats as set out in Annexure II to this notification;

(b) the specifications, as declared by the exporter provided that such specifications do not fall below the minimum prescribed for the lowest quality of the corresponding coir loop mats specified in the said Annexure; and

(c) the specifications which do not fall under clause (a) or (b) but formulated by a panel of experts appointed by the Export Inspection Council for the purpose of examining and approving the samples submitted by the exporter;

(4) To prohibit the export in the course of international trade of coir products unless the same is accompanied by a certificate issued by any one of the Export Inspection Agencies recognised under section 7 of the Export (Quality Control and Inspection) Act, 1963 (22 of 1963) to the effect that the coir products conform to the specification recognised in Annexure II to this notification.

3. Nothing in this notification shall apply to the export by land, sea or air of samples of the aforesaid coir products to prospective buyers.

## ANNEXURE I

*Draft Export of Coir Products (Inspection) Amendment Rules, 1969.*

In the Export of Coir Products (Inspection) Rules, 1965, in rule 2, in sub-clause (1) of clause (2), after item (d), the following item shall be added, namely: "(e) Loop".

## ANNEXURE II

Specification for coir Loop Mats—

## 1. GENERAL REQUIREMENTS

1.1. The mats shall be firmly and evenly woven.

1.2. The mats may be supplied plain or dyed or with simple designs as may be specified by the purchaser.

1.3. The mats shall be free from extraneous matter and salt.

## 2. SPECIFIC REQUIREMENTS

2.1. *Construction.*—The mats shall conform to the constructional details given in the Table below:



TABLE  
CONSTRUCTIONAL DETAILS OF LOOP MATS

Type of Yarn															
Qual- ty No.	Tight Chain	Scorage	Binding Chain	Scorage	Loop Chain	Scorage	Rows	Scorage	Construc- tion	Ends Min. Per dm	Per ft.	Rows Per dm	Min. Per ft.	Weight in	
														Kg/m <sup>2</sup>	Oz/ft <sup>2</sup>
RL1	Vycome	..	Vycome	..	Aratory	12	Vycome	..	Loop mats	10	29	11	32	4.25	14
RL2	Vycome	..	Vycome	..	Aratory	12	Vycome	..	Loop mats	10	29	11	32	3.65	12
RL3	Vycome	..	Vycome	..	Aratory	12	Beach/ Kallai	..	Loop mats	10	29	11	32	3.65	12
RL4	Vycome	..	Vycome	..	Aratory	13	Vycome	..	Loop mats	9	28	11	32	3.05	10



2.2. *Dimensions*.—The dimensions of the mats shall be as specified by the purchaser. Unless specially agreed otherwise, a tolerance of  $\pm 13$  mm (or half inch) in dimensions shall be permissible.

2.3. *Ends*.—The minimum number of ends per decimetre (or foot) of the mats listed in Table shall be in accordance with the applicable requirements of the Table.

2.4. *Weight*.—The weight per square metre (or square foot) of loop mats shall be in accordance with the Table. A tolerance  $\pm 5$  per cent on the weight shall be permitted.

### 3. PACKING

3.1. The mats shall be packed as agreed to between the purchaser and the supplier.

3.2. Each package shall be marked with the following particulars namely :

- (a) Name of material;
- (b) Size;
- (c) Number of mats packed in each package;
- (d) Code number of the exporter;
- (e) Gross weight; and
- (f) Name, initials, trade mark, or any other identification mark of the exporter.

[No. F. 60(9)/Exp.Insp./87.]

P. K. SAMAL, Jt. Secy.